

ECKEL

NOISE CONTROL TECHNOLOGIES

Acoustic
Panels
Spec Sheets
2019
www.eckelacousticpanels.com

Standard & Custom Engineered Solutions

Reverberation & Noise Control for
Recreational Facilities, Offices
WWTPs, Industrial Settings
Restaurants & more...

**Going
Strong**

65+

Vital to Industry,
Communication,
Health & Safety
For 65+ Years

Architectural Noise Control Panel Systems

Steel Delta Acoustic Panels

Toll-free 1-800-563-3574 | International +1-613-543-2967 | www.eckelacousticpanels.com

Section 09511, Section 15840, Section 16510 | ASTM C 423, ASTM E 84, ASTM E 795

ISO 9001:2015 & ISO 14001:2015

Noise + Reverb Control

Delta Acoustic Panel

Easy to install, Delta Acoustic Panels (DAPs) effectively and efficiently reduce or control reverberation and noise in cavernous spaces — from restaurants to libraries, from theatres to recording studios and broadcast facilities. These durable and versatile panels increase the intelligibility of speech; mitigate intolerable auditory conditions; and decrease the risk of harm from exposure to excessive noise.

Standard Features

- ▶ **Panel Thickness:** 2 3/4" (70mm)
- ▶ **Width:** 24" (610mm)
- ▶ **Length:** 42" (1067mm) or 88" (2235mm)
- ▶ **Average Weight:**
 - 24" x 42" (610mm x 1067mm) 14lb/7kg
 - 24" x 88" (762mm x 2235mm) 27lb/12kg
- ▶ **Panel Construction:** Steel
- ▶ **Facings:** 22ga (0.76 mm) electrogalvanized steel sheet, perforated with 3/32" (2 mm) holes on 3/16" (4.8 mm) staggered centers. Sides and end of panel with 135 degree returned side and edge construction to create an "unrevealed edge"
- ▶ **Framing:** 20ga (0.9 mm) electrogalvanized steel, angle mounting assembly pre punched and secured with #10 sheet metal screws for flush mount.
- ▶ **Brackets:** Provide two 20ga (0.9 mm) steel angle mounting brackets (standard for flush mount) per panel for attachment to wall and ceilings or 4ga (13mm) steel brackets for 4" (102mm) Space Mount
- ▶ **Finish:** Polyurethane enamel paint; factory applied
- ▶ **Color:** White, Other colors available
- ▶ **Acoustical Insulation:** 2" (50 mm) thick, fine fibred, fibrous glass, having a density of not less than 1.5 pounds per cubic foot (24 kg/cubic m), encapsulated in a 1.5 to 2 mil (0.04 to 0.05 mm) flame guard polyethylene
- ▶ **Anchors & Fasteners:** #10-3/4" (19mm) self tapping sheet metal screws to attach mounting angles to the panels, cadmium plated for steel panels, stainless steel for aluminum panels; corrosion-resistant anchors for fastening brackets to substrate, as recommended by panel manufacturer and approved by Architect.

Panel Performance

- ▶ **Sound Absorption:** Panels are certified to meet the following minimum sound absorption for a 24" x 88" (610mm x 2235mm) panel, encapsulated in a 2.0 mil (0.05 mm) flame guard polyethylene, when tested in accordance with ASTM C 423 and E 795:

Flush Mount	4" Space Mount
▶ 125 Hz: 4.52 sabins	5.3 sabins
▶ 250 Hz: 11.6 sabins	12.7 sabins
▶ 500 Hz: 11.7 sabins	21.7 sabins
▶ 1000 Hz: 18.3 sabins	18.7 sabins
▶ 2000 Hz: 13.2 sabins	16.1 sabins
▶ 4000 Hz: 9.02 sabins	10.9 sabins
▶ NRC: 0.99, minimum	0.99, minimum

- ▶ **Fire:** Tested in accordance with ASTM E 84
- ▶ **Flame Spread:** 10 maximum
- ▶ **Smoke Density:** 10 maximum


Acoustical Performance

Sound absorption expressed in Sabins per Panel.

Frequency	Flush Mount	4" (102mm) Space Mount
125 Hz	4.52	5.27
250 Hz	11.55	12.69
500 Hz	11.65	21.71
1000 Hz	18.32	18.77
2000 Hz	13.19	16.08
4000 Hz	9.02	10.93
NRC	0.99, minimum	0.99, minimum

Average sound absorption coefficient. Detailed architect specifications available from Eckel Noise Control Technologies or visit www.eckelacousticpanels.com.

DAP 20ga Steel



EXAMINATION: Examine surfaces to receive work. Do not begin installation until unsatisfactory conditions have been corrected.

INSTALLATION: Install panels on walls and ceilings in locations and in patterns indicated on drawings. Install each unit as indicated on Architect's drawings and in accordance with manufacturer's printed instructions, using approved anchors and fasteners.

ADJUST & CLEAN: After installation of acoustic panels, clean all dirty or discolored surfaces, using cleaning materials and methods acceptable to manufacturer. Replace damaged components as directed by the Architect. Remove debris caused by work on a daily basis. At completion of acoustic panel installation, remove all crates, cartons, packages, and debris from the project site.